Village of North Palm Beach Building Department Window & Door Schedule

Property Address: | **Windspeed: 170 MPH at 3 second gust**

Exposure Category: B C D | **MRH:** | **Contractor Name:**

Location Number	Location Zone	Window, skylight, Door, Shutter	Glazing Type	Product Approval Number	**Product Approval Approved Pressure Rating**		Required Opening Design Pressure		Maximum Tested Size	Size	U-factor Not required for shutter	SHGC Not required for shutter	Egress Opening Yes or No?
	4 or 5				(+) PSF	(-) PSF	(+) PSF	(-) PSF					

WINDOW & DOOR SCHEDULE

Corner Zone (5): 10% of the least horizontal dimension or 40% of the mean roof height, whichever is smaller, but not less than 4% of the least horizontal dimension or 3 feet.

Wind load calculations must be signed and sealed by a design professional except on 1 & 2 family dwellings per FBC 107.3.4.3

Please include a floor plan/sketch showing the location of the component and cladding. Please indicate attachment details on all product approvals.



Village of North Palm Beach Building Department Window & Door Schedule

Property Address: | **Windspeed: 170 MPH at 3 second gust**

Exposure Category: B C D | **MRH:** | **Contractor Name:**

Location Number	Location Zone	Window, skylight, Door, Shutter	Glazing Type	Product Approval Number	Product Approval Approved Pressure Rating		Required Opening Design Pressure		Maximum Tested Size	Size	U-factor Not required for shutter	SHGC Not required for shutter	Egress Opening Yes or No?
	4 or 5				(+) PSF	(-) PSF	(+) PSF	(-) PSF					
1	4	Window	A	FL 12345	80	80	62	62	65"X65"	30"X54"	0.65	0.2	Yes
2	4	Window	C	FL 12344	55	55	43	43	120"X 96"	44"X54"	0.75	0.25	No
2	4	Mullion		NOA 15-123.03	76	76	43	43	60"	54"			
2	4	Window	C	FL 12344	55	55	43	43	120"X 96"	44"X54"	0.75	0.25	No
3	4	Window	B	FL 12345	62	62	59	59	120"X 96"	40"X54:	0.75	0.2	Yes
4	4	Door		NOA 14-111.01	50	50	45	45	72"X96"	36"X80"			No
5	4	Shutter		FL 12346	62	62	59	59	180"X96"	40"X54:			Yes
6	4	Door		NOA 14-111.01	50	50	45	45	72"X96"	36"X80"			No

WINDOW & DOOR SCHEDULE